Estimated HTV prevalence among persons aged >=13 years, by selected characteristics, Connecticut, 2015

						Persons living with		Persons living with diagnosed HIV		
	Persons living with diagnosed or undiagnosed HIV infection					undiagnosed HIV infection		infection ²		
			Relative Standard							
	No.	95% CI	Errors ¹	Rate	95% CI	No.	95% CI	No.	Pct.	95% CI
Sex										
Male	8,000	6,900-9,700	10.8%	540.0	469.0-654.2	1,100	0-2,700	6,943	86.9%	71.7-100.0%
Female	3,800	3,500-4,700	12.3%	237.7	219.9-294.9	280	0-1,200	3,471	92.5%	74.6-100.0%
Age group (yr)										
13-24	380	230-520	20.2%	63.7	38.5-89.0	200	50-340	180	48.0%	34.3-79.5%
25-34	1,300	1,100-1,500	9.0%	298.5	245.6-351.4	380	140-610	937	71.4%	60.7-86.8%
35-44	2,000	1,800-2,200	5.0%	460.9	415.4-506.5	280	90-480	1,701	85.8%	78.1-95.2%
45-54	3,900	3,600-4,200	3.5%	729.1	679.6-778.7	300	30-560	3,612	92.4%	86.5-99.1%
>=55	4,200	4,000-4,500	3.8%	391.5	374.6-420.7	180	0-490	3,984	95.7%	89.0-100.0%
Race/ethnicity										
Black/African American	4,000	3,500-5,100	14.7%	1,330.9	1,162.0-1,713.1	500	0-1,600	3,454	87.3%	67.8-100.0%
Hispanic/Latino	3,900	3,500-4,900	13.6%	922.3	827.3-1,168.4	400	0-1,400	3,503	89.7%	70.8-100.0%
White	3,600	3,200-4,700	15.6%	166.7	149.5-217.5	370	0-1,500	3,227	89.7%	68.7-100.0%
Transmission category										
Male-to-male sexual contact	3,900	3,300-5,100	14.6%	-	-	640	0-1,800	3,307	83.7%	65.1-100.0%
Injection drug use	3,700	3,500-4,600	13.3%	-	-	160	0-1,100	3,508	95.7%	75.9-100.0%
Male	2,400	2,300-3,200	17.5%	-	-	110	0-930	2,256	95.2%	70.9-100.0%
Female	1,300	1,300-1,800	19.7%	-	-	40	0-540	1,252	96.6%	69.7-100.0%
Heterosexual contact	3,700	3,300-4,800	14.2%	-	-	460	0-1,500	3,290	87.7%	68.6-100.0%
Male	1,300	1,100-2,000	29.0%	-	-	220	0-970	1,077	82.8%	52.7-100.0%
Female	2,400	2,200-3,200	15.2%	-	-	240	0-960	2,212	90.4%	69.7-100.0%
Total	11,700	10,400-13,700	8.3%	384.0	340.5-446.8	1,300	0-3,300	10,414	88.7%	76.2-100.0%

^{1.} Estimates of HIV incidence, prevalence, and undiagnosed infection with relative standard errors (RSE) >=30% should be interpreted with caution in alignment with reliability standards from the National Center for Health Statistics. CDC cautions against presenting/publishing estimates with RSEs >50%.

^{2.} Reported (not estimated) cases.

^{3.} Subgroups may not add to the column total due to rounding.

^{4.} Race and transmission categories not shown had RSE >50%

^{5.} HIV Surveillance data for cases reported through December 2017